



















	Die No	Die Mass (kg/m)	Description (mm)
Regular Standards			
	1049	0.086	Angle 12 x 12 x 1.4
	1050	0.116	Angle 20 x 12 x 1.4
	1051	0.146	Angle 20 x 20 x 1.4
	1063	0.135	Angle 25 x 12 x 1.4
	1001	0.165	Angle 25 x 20 x 1.4
	2446	0.187	Angle 25 x 20 x 1.6
	1071	0.184	Angle 25 x 25 x 1.4
	1054	0.381	Angle 25 x 25 x 3
	1054	0.381	Angle 25 x 25 x 3
	1002	0.192	Angle 32 x 20 x 1.4
	1002	0.192	Angle 32 x 20 x 1.4
	2433	0.220	Angle 32 x 20 x 1.6
	1384	0.414	Angle 32 x 22 x 3
	2445	0.496	Angle 32 x 32 x 3
	1246	0.194	Angle 40 x 12 x 1.4
	1214	0.221	Angle 40 x 20 x 1.4
	2436	0.252	Angle 40 x 20 x 1.6
	1052	0.240	Angle 40 x 25 x 1.4
	2466	0.504	Angle 40 x 25 x 3
	1053	0.318	Angle 40 x 40 x 1.5
	2430	0.339	Angle 40 x 40 x 1.6
	1056	0.632	Angle 40 x 40 x 3
	2650	0.545	Angle 50 x 20 x 3 (Available August 2014)
	1072	0.284	Angle 50 x 25 x 1.4
	2444	0.585	Angle 50 x 25 x 3
	1055	0.786	Angle 50 x 50 x 3
	1117	2.000	Angle 50.8 x 50.8 x 7.92
	2469	0.951	Angle 60 x 60 x 3
2469	0.951	Angle 60 x 60 x 3	
2481	1.854	Angle 60 x 60 x 6	
1073	1.058	Angle 63.5 x 38.1 x 4	
1062	0.355	Angle 70 x 25 x 1.4	
2052	0.789	Angle 75 x 25 x 3	
2488	1.195	Angle 100 x 50 x 3	
	1065	0.116	Channel 10 x 10 x 1.6
	1066	0.142	Channel 12 x 12 x 1.6
	1067	0.194	Channel 16 x 16 x 1.6
	1068	0.246	Channel 20 x 20 x 1.6
	1244	0.738	Channel 21.7 x 35 x 3.2
	1069	0.268	Channel 25 x 20 x 1.6
	1003	0.311	Channel 25 x 25 x 1.6
	1104	0.559	Channel 25 x 25 x 3
	1105	0.802	Channel 25 x 40 x 3
	1230	0.285	Channel 28 x 25 x 1.4 (v groove)
	1243	0.797	Channel 28.3 x 35 x 3.2
	1070	0.621	Channel 32 x 25 x 3
	1037	0.311	Channel 38.6 x 25 x 1.4 (btm) 1.27 (side)
	2570	0.683	Channel 40 x 25 x 3
	2264	0.765	Channel 50 x 25 x 3
	2448	1.171	Channel 50 x 50 x 3
2245	1.293	Channel 65 x 50 x 3	
	1043	0.354	Coolroom Channel 52.3 x 25.4 x 1.27
	1298	0.492	Coolroom Channel 55.5 x 30 x 1.5
	1209	0.164	Flyscreen Channel 14.8 x 17.4 x 1.3 (full rad)
	1385	0.495	Unequal Channel 20 base x 22 x 25
	1696	2.057	Door U Channel 44.45 x 44.45 x 6.35 (v grooves)






	Die No	Die Mass (kg/m)	Description (mm)
T Section 	1263	0.236	"T" Sect 16 (top) x 16 (high) x 3 wall
	2158	0.188	"T" Sect 25 (top) x 20 (high) x 1.6 wall
	2274	0.382	"T" Sect 25 (top) x 25 (high) x 3 wall
	1469	0.175	"T" Sect 25 (top) x 30 (high) x 1.2 wall
Flat Bar 	1074	0.081	Flat Bar 12 x 2.5
	1074	0.081	Flat Bar 12 x 2.5
	2447	0.098	Flat Bar 12 x 3
	1000	0.130	Flat Bar 16 x 3
	1194	0.086	Flat Bar 20 x 1.6
	1058	0.162	Flat Bar 20 x 3
	1057	0.111	Flat Bar 25 x 1.6
	1064	0.203	Flat Bar 25 x 3
	1272	0.338	Flat Bar 25 x 5
	1527	0.627	Flat Bar 29 x 8
	1059	0.259	Flat Bar 32 x 3
	2227	0.520	Flat Bar 32 x 6
	1994	0.816	Flat Bar 38.1 x 7.9
	1060	0.324	Flat Bar 40 x 3
	2090	1.084	Flat Bar 40 x 10
	1422	0.365	Flat Bar 45 x 3
	2467	0.217	Flat Bar 50 x 1.6
	1061	0.405	Flat Bar 50 x 3
	1061	0.405	Flat Bar 50 x 3
	2480	0.678	Flat Bar 50 x 5
	1296	0.810	Flat Bar 50 x 6
	2441	1.355	Flat Bar 50 x 10
	2443	3.388	Flat Bar 50 x 25
	2506	0.881	Flat Bar 65 x 5
	2442	2.168	Flat Bar 80 x 10
	2442	2.168	Flat Bar 80 x 10
	1646	2.592	Flat Bar 80 x 12
2499	0.434	Flat Bar 100 x 1.6	
2399	0.810	Flat Bar 100 x 3	
2500	0.650	Flat Bar 150 x 1.6	
	1916	0.620	Flat Bar 25 x 10 (full radius edge)
	2186	0.392	Flat Bar 30 x 5 (full radius edge)
	2189	0.565	Flat Bar 36 x 6 (full radius edge)
Rectangular Hollows (RHS) 	1339	0.076	Rectangular Hollow 13 x 6 x 0.8
	1539	0.214	Rectangular Hollow 26.9 x 8.45 x 1.2
	1299	0.851	Rectangular Hollow 40 x 20 x 2.9
	2600	1.122	Rectangular Hollow 50 x 25 x 3
	1108	0.929	Rectangular Hollow 60 x 30 x 2
	2422	0.577	Rectangular Hollow 65 x 16 x 1.4 (3 rad cnr)
	2428	2.341	Rectangular Hollow 100 x 50 x 3
	2429	3.154	Rectangular Hollow 150 x 50 x 3
Square Hollow 	1012	0.194	Square Hollow 19.05 x 1
	1135	0.405	Square Hollow 25 x 1.6
	2434	0.667	Square Hollow 40 x 1.6
	2434	0.667	Square Hollow 40 x 1.6
	2435	1.203	Square Hollow 40 x 3
	1005	0.840	Square Hollow 50 x 1.6
	2540	1.528	Square Hollow 50 x 3
	1004	0.911	Square Hollow 50.8 x 1.8 (6.35 rad cnr)
Square Solid 	1020	0.170	Square Solid 7.92 x 7.92
















	Die No	Die Mass (kg/m)	Description (mm)
	1674	0.043	Round Tube 6 x 1
	1728	0.046	Round Tube 6.3 x 1.025
	1014	0.065	Round Tube 8 x 1.1
	2309	0.079	Round Tube 8 x 1.4
	1675	0.077	Round Tube 10 x 1
	2459	0.065	Round Tube 11.5 x 0.7
	1783	0.110	Round Tube 12 x 1.2
	1748	0.170	Round Tube 12 x 2
	1748	0.170	Round Tube 12 x 2
	1510	0.196	Round Tube 16 x 1.6
	1749	0.238	Round Tube 16 x 2
	1219	0.191	Round Tube 20 x 1.2
	1126	0.248	Round Tube 20 x 1.6
	1126	0.248	Round Tube 20 x 1.6
	1509	0.306	Round Tube 20 x 2.0
	2051	0.562	Round Tube 25 x 3
	1013	0.251	Round Tube 25.4 x 1.22
	1652	0.229	Round Tube 27.95 x 1
	1472	0.503	Round Tube 41 x 1.5 (slide fit 1470 & 1471)
	1470	0.567	Round Tube 46 x 1.5 (slide fit 1471 & 1472)
1276	0.680	Round Tube 50.8 x 1.63	
1276	0.680	Round Tube 50.8 x 1.63	
1471	0.630	Round Tube 51 x 1.5 (slide fit 1470 & 1472)	
	2073	0.042	Round Rod 4.85mm
	1018	0.193	Round Rod 9.5mm
	2261	0.213	Round Rod 10mm
	2068	0.298	Round Rod 11.8mm
	1388	0.306	Round Rod 12mm (6061)
	2138	0.455	Round Rod 14.62mm
	2026	0.479	Round Rod 15mm
	1546	1.369	Round Rod 25.4mm
	2074	2.180	Round Rod 32mm
	1547	3.063	Round Rod 38mm
	1019	0.148	Hex Bar 7.92 A/F
	1426	0.290	Hex Bar 7/16" (11.4mm A/F)
	1401	0.715	Hex Bar 17.48mm A/F
	1427	0.853	Hex Bar 3/4" (19.1mm A/F)
	1897	0.996	Hex Bar 13/16" (20.63mm A/F)
	1319	1.163	Hex Bar 22.3mm A/F
	1428	1.515	Hex Bar 1" (25.46mm A/F)
	2041	1.928	Hex Bar 1 1/8" (28.58mm A/F)

Coolroom (for Coolroom Channels refer to channels)


	1297	0.374	Coolroom Coving 35 mm
---	------	-------	-----------------------

Door / Window / Security / Safety

	1038	0.059	Tilt rod
	1041	0.092	Window section
	1042	0.103	Security Door
	1080	0.273	Vertical Blinds
	1179	0.339	Skylight Main Frame



	Die No	Die Mass (kg/m)	Description (mm)
	1182	0.564	Security Door Frame
	1195	0.329	H Security Section
	1197	0.188	Door Edge
	1207	0.335	Safety Screen Frame
	1212	0.248	H Security Door section
	1215	0.657	Security Frame
	1231	0.338	Safety Door Rail
	1259	0.200	Security Offset Track (21.8 x 14)
	1279	0.095	Security Bottom Track
	1280	0.117	Security Interlocker 28.2 x 3.6
	1281	0.107	Security Interlocker (22 x 7)
	1383	0.398	Safety Security Screen Frame (37 x 31)
	2076	0.256	Door Hanger
	2263	0.603	Louvre Frame
	2440	1.767	Door stile - bottom rail


















Marine

	2102	0.230	Rope Track
---	------	-------	------------

Total Other

Miscellaneous Extrusion

	1045	0.289	Shop front
	1076	0.916	Table Frame

	Die No	Die Mass (kg/m)	Description (mm)
	1087	0.309	Shelving
	1131	1.153	Table Frame
	1196	0.427	Jamb Section
	1210	0.157	Interlock
	1245	0.127	Bug Strip
	1273	0.561	AC Channel (38 x 25.5)
	1552	0.735	Ellipse 90 x 14.35 x 1.5
	1576	1.025	Capping Section
	1586	1.604	Corner Stake
	1797	0.106	Channel Uneven (8.5 x 7.2)
	1829	0.337	h Bracket
	2161	0.141	H Section (21 x 12 x 1)
	1496	0.930	H Section (50 x 22 x 3)
	2174	0.148	Track
	2431	0.480	Star Spigot
	1265	0.223	Z section (10 x 20 x 20 x 1.6)
	2077	0.412	Z section (40 x 20 x 20 x 2)